



Onyx Scientific Ltd

Onyx Scientific Ltd

Orders & enquiries

Contact details

Tel: + 44 (0) 191 516 6 516

Fax: + 44 (0) 191 516 6 526

Internet

Email: enquiries@onyx-scientific.com

Web: www.onyx-scientific.com














Address

Silverbriar
Enterprise Park East
Sunderland
SR5 2TQ
UK

Other Services

This catalogue contains a selection of our products. Many more chiral compounds are available by custom synthesis, so please enquire if there is a compound you require which is not listed. Our standard range of services includes:

- CUSTOM SYNTHESIS
- MEDICINAL CHEMISTRY
- ROUTE DISCOVERY / PROCESS RESEARCH
- PROCESS DEVELOPMENT
- ANALYTICAL METHOD DEVELOPMENT AND VALIDATION
- GMP KILO LAB SERVICE
- POLYMORPHISM/SALT SELECTION STUDIES












O-79	(R)-3-Acetyl-4-isopropyl-5,5-diphenyloxazolidine-2-thione 98+%, ee 99+%	
	C ₂₀ H ₂₁ NO ₂ S	
O-80	(S)-3-Acetyl-4-isopropyl-5,5-diphenyloxazolidine-2-thione 98+%, ee 99+%	
	C ₂₀ H ₂₁ NO ₂ S	
D-73	(R)-2-Amino-3,3-dimethyl-1,1-diphenylbutane 98+%, ee 99+%	
	C ₁₈ H ₁₂ N	
	[480444-13-1] mp 50 - 53°	
D-74	(S)-2-Amino-3,3-dimethyl-1,1-diphenyl-1-butanol 98+%, ee 99+%	
	C ₁₈ H ₂₃ N	
	[144054-70-6] mp 134 - 137°	
D-13	(R)-2-Amino-1,1-diphenylpropane 98+%, ee 99+%	
	C ₁₅ H ₁₇ NO	
	mp 75-78°	
D-14	(S)-2-amino-1,1-Diphenylpropane 98+%, ee 99+%	
	C ₁₅ H ₁₇ N	
	mp 75-78°	
D-09	(R)-2-Amino-1,1-diphenyl-1-propanol 98+%, ee 99+%	
	C ₁₅ H ₁₇ NO	
	[78603-93-7] mp 99-102°	
D-10	(S)-2-Amino-1,1-diphenyl-1-propanol 98+%, ee 99+%	
	C ₁₅ H ₁₇ NO	
	[78603-91-5] mp 99-102°	
D-21	(R)-2-Amino-3-methyl-1,1-diphenylbutane 98+%, ee 99+%	
	C ₁₇ H ₂₁ N	
	mp 71-72°	
D-22	(S)-2-Amino-3-methyl-1,1-diphenylbutane 98+%, ee 99+%	
	C ₁₇ H ₂₁ N	
	[233772-37-7] mp 71-72°	
D-17	(R)-2-Amino-3-methyl-1,1-diphenyl-1-butanol 98+%, ee 99+%	
	C ₁₇ H ₂₁ NO	
	[86695-06-9] mp 90-92°	
D-18	(S)-2-Amino-3-methyl-1,1-diphenyl-1-butanol 98+%, ee 99+%	
	C ₁₇ H ₂₁ NO	
	[78603-95-9] mp 90-92°	
D-37	(R)-2-Amino-4-methyl-1,1-diphenylpentane 97+%, ee 99+%	
	C ₁₈ H ₂₃ N	
	[352535-73-0]	













D-38	(S)-2-Amino-4-methyl-1,1-diphenylpentane 97+%, ee 99+%	
	C ₁₈ H ₂₃ N [352535-74-1]	
D-33	(R)-2-Amino-4-methyl-1,1-diphenylpentan-1-ol 96+%, ee 99+%	
	C ₁₈ H ₂₃ NO [161832-74-2]	
D-34	(S)-2-Amino-4-methyl-1,1-diphenylpentan-1-ol 96+%, ee 99+%	
	C ₁₈ H ₂₃ NO [78603-97-1]	
O-139	(R)-1-Amino-2-propanol 97+%, ee 99+%	
	C ₃ H ₉ NO [2799-16-8]	
O-140	(S)-1-Amino-2-propanol 97+%, ee 99+%	
	C ₃ H ₉ NO [2799-17-9]	
D-67	(R)-2-Amino-1,1,2-triphenylethanol 97+%, ee 99+%	
	C ₂₀ H ₁₉ NO [79868-79-4]	
D-68	(S)-2-Amino-1,1,2-triphenylethanol 97+%, ee 99+%	
	C ₂₀ H ₁₉ NO [129704-13-8]	
D-25	(R)-2-Amino-1,1,3-triphenyl-1-propanol 97+%, ee 99+%	
	C ₂₁ H ₂₁ NO [86906-05-0]	
D-26	(S)-2-Amino-1,1,3-triphenyl-1-propanol 97+%, ee 99+%	
	C ₂₁ H ₂₁ NO [79868-78-3]	
O-59	5α-Androst-16-en-3α-ol 98+%	
	C ₁₉ H ₃₀ O [1153-51-1]	
O-60	5α-Androst-16-en-3β-ol 98+%	
	C ₁₉ H ₃₀ O [7148-51-8]	
O-50	5α-Androst-16-en-3-one 97+%	
	C ₁₉ H ₂₈ O [18339-16-7] mp 139 - 146°	















O-151	N-benzyl-1,2,3,6-tetrahydro pyridine 95+%	<chem>C12H15N</chem> [40240-12-8]	
D-29	(R)-1-Benzyl-2,2-diphenylethylamine 98+%, ee 99+%	<chem>C21H21N</chem> [94964-58-6]	
D-30	(S)-1-Benzyl-2,2-diphenylethylamine 98+%, ee 99+%	<chem>C21H21N</chem> [233772-38-8]	
D-27	(R)-4-benzyl-5,5-diphenyl-2-oxazolidinone 98+%, ee 99+%	<chem>C22H19NO2</chem> [191090-40-1]	
D-28	(S)-4-benzyl-5,5-diphenyl-2-oxazolidinone 98+%, ee 99+%	<chem>C22H19NO2</chem> [191090-38-7]	
O-86	(R) 1-Benzyloxypropan-2-ol 97+%, ee 98+%	<chem>C10H14O2</chem> [89401-28-5]	
O-87	(S) 1-Benzyloxypropan-2-ol 97+%, ee 98+%	<chem>C10H14O2</chem> [85483-97-2]	
O-129	N-BOC-1,2,3,6-tetrahydropyridine 97+%	<chem>C10H17NO2</chem>	
O-133	(R)-2-Bromo-1-phenylethanol 95+%, ee 97+%	<chem>C8H9Br O</chem> [73908-23-3]	
O-134	(S)-2-Bromo-1-phenyl ethanol 95+%, ee 97+%	<chem>C8H9Br O</chem> [2425-28-7]	
O-01	(R)-2-Butanol 97+%, ee 99+%	<chem>C4H10O</chem> [14898-79-4] bp 99-100° Fp 26°	
O-02	(S)-2-Butanol 97+%, ee 99+%	<chem>C4H10O</chem> [4221-99-2] bp 99-100° Fp 26°	




O-116	(R)-1-tert-Butoxy-2-propanol 95+%, ee 97+%	
	C ₇ H ₁₆ O ₂	
O-117	(S)-1-tert-Butoxy-2-propanol 95+%, ee 97+%	
	C ₇ H ₁₆ O ₂ [136656-76-3]	
D-75	(S)-4-(tert-butyl)-5,5-diphenyl-2-oxazolidinone 98+%, ee 99+%	
	C ₁₉ H ₂₁ NO ₂ [191090-36-5] mp 302-305°	
D-65	(S)-N-Carbomethoxy-2-amino-1,1,2-triphenylethanol 97+%, ee 99+%	
	C ₂₂ H ₂₁ NO ₃ [352535-67-2]	
D-66	(R)-N-Carbomethoxy-2-amino-1,1,2-triphenylethanol 98+%, ee 99+%	
	C ₂₂ H ₂₁ NO ₃	
D-07	(R)-N-Carbomethoxy-α,α-diphenyl-2-pyrrolidine methanol 97+%, ee 99+%	
	C ₁₉ H ₂₁ NO ₃	
D-08	(S)-(-)-N-Carbomethoxy-α,α-diphenyl-2-pyrrolidine methanol 98+%, ee 99+%	
	C ₁₉ H ₂₁ NO ₃	
O-147	(R)-4-Carbomethoxy oxazolidin-2-one 98+%, ee 98+%	
	C ₅ H ₇ NO ₄	
O-148	(S)-4-Carbomethoxy oxazolidin-2-one 98+%, ee 98+%	
	C ₅ H ₇ NO ₄	
O-130	N-Cbz-1,2,3,6-tetrahydropyridine 97+%	
	C ₁₃ H ₁₅ NO ₂	
O-100	(R)-1-Chloropent-4-en-2-ol 95+%, ee 97+%	
	C ₅ H ₉ ClO	
O-101	(S)-1-Chloropent-4-en-2-ol 95+%, ee 97+%	
	C ₅ H ₉ ClO	

O-102	(R)-1-Chloro-3-phenylpropan-2-ol 95+%, ee 97+%	
	C ₉ H ₁₁ ClO	
O-103	(S)-1-Chloro-3-phenylpropan-2-ol 95+%, ee 97+%	
	C ₉ H ₁₁ ClO	
O-13	(R)-2-Decanol 97+%, ee 99+%	
	C ₁₀ H ₂₂ O [33758-15-5] bp 211°	
O-14	(S)-2-Decanol 97+%, ee 99+%	
	C ₁₀ H ₂₂ O [33758-16-6] bp 211°	
O-145	(R)-(+)-2-(Diphenylmethyl)pyrrolidine HCl 96+%, ee 98+%	
	98+%	
	C ₁₇ H ₁₉ N HCl	
D-03	(R)-2-(Diphenylmethyl) pyrrolidine 96+%, ee 98+%	
	C ₁₇ H ₁₉ N [22348-31-8] mp 68-71°	
D-04	(S)-2-(Diphenylmethyl)pyrrolidine 96+%, ee 99+%	
	C ₁₇ H ₁₉ N [119237-64-8] mp 68-71°	
D-01	(R)-α,α-Diphenyl-2-pyrrolidinemethanol 98+%, ee 99+%	
	C ₁₇ H ₁₉ NO [22348-32-9] mp 78-81°	
D-02	(S)-α,α-Diphenyl-2-pyrrolidinemethanol 98+%, ee 99+%	
	C ₁₇ H ₁₉ NO [112068-01-6] mp 78-81°	
O-07	(R)-2-Heptanol 97+%, ee 99+%	
	C ₇ H ₁₆ O [6033-24-5] bp 74-75° / 23mm	
O-08	(S)-2-Heptanol 97+%, ee 99+%	
	C ₇ H ₁₆ O [6033-23-4] bp° 149-150	
O-136	Hexa deuterio-4,4-dimethyl-4-silapentane-1-ammonium trifluoroacetate 96+ Atom %	
	C ₈ H ₁₂ D ₆ F ₃ NO ₂ Si	
O-05	(R)-2-Hexanol 97+%, ee 99+%	
	C ₆ H ₁₄ O [26549-24-6] bp 137-138° Fp 51°	

O-06	(S)-2-Hexanol 97+%, ee 99+%	
	C ₆ H ₁₄ O [52019-78-0] bp 137-138° Fp 51°	
O-35	(R)-2-Hydroxyhex-5-ene 97+%, ee 99+%	
	C ₆ H ₁₂ O [17397-29-4] Bp 159°	
O-36	(S)-2-Hydroxyhex-5-ene 97+%, ee 99+%	
	C ₆ H ₁₂ O [17397-24-9] Bp 159°	
O-33	(R)-2-Hydroxypent-4-ene 97+%, ee 99+%	
	C ₅ H ₁₀ O [64584-92-5] Bp 115°	
O-34	(S)-2-Hydroxypent-4-ene 97+%, ee 99+%	
	C ₅ H ₁₀ O [55563-79-6] Bp 115°	
D-35	(R)-4-isobutyl-5,5-diphenyl-2-oxazolidinone 96+%, ee 99+%	
	C ₁₉ H ₂₁ NO ₂ [352535-72-9]	
D-36	(S)-4-isobutyl-5,5-diphenyl-2-oxazolidinone 96+%, ee 99+%	
	C ₁₉ H ₂₁ NO ₂ [191090-34-3]	
O-131	(R)-4-isopropyl-5,5-diphenyloxazolidine-2-thione 97+%	
	C ₁₈ H ₁₉ NOS	
O-132	(S)-4-isopropyl-5,5-diphenyloxazolidine-2-thione 97+%	
	C ₁₈ H ₁₉ NOS	
D-19	(R)-4-Isopropyl-5,5-diphenyl-2-oxazolidinone 98+%, ee 99+%	
	C ₁₈ H ₁₉ NO ₂ [191090-32-1] Mp 248-251°	
D-20	(S)-4-Isopropyl-5,5-diphenyl-2-oxazolidinone 98+%, ee 99+%	
	C ₁₈ H ₁₉ NO ₂ [184346-45-0] mp 248-251°	

O-141	1-Methoxy-1,4-cyclohexadiene 92+%	
	C ₇ H ₁₀ O [2886-59-1]	
O-75	(R)-1-Methoxy-2-propanol 97+%, ee 99+%	
	C ₄ H ₁₀ O ₂ [4984-22-9] bp 118 - 119° Fp 33°	
O-76	(S)-1-Methoxy-2-propanol 97+%, ee 99+%	
	C ₄ H ₁₀ O ₂ [116422-39-0] bp 118 - 119° Fp 33°	
O-135	N-Methyl-1-amino-hex-5-ene 95+%	
	C ₇ H ₁₅ N	
O-43	(R)-N-Methyl-α,α-diphenyl-2-pyrrolidine methanol 98+%, ee 99+%	
	C ₁₈ H ₂₁ N [144119-12-0]	
O-44	(S)-N-Methyl-α,α-diphenyl-2-pyrrolidine methanol 98+%, ee 99+%	
	C ₁₈ H ₂₁ N [110529-22-1]	
D-11	(R)-4-methyl-5,5-diphenyl-2-oxazolidinone 98+%, ee 99+%	
	C ₁₆ H ₁₅ NO ₂ [223906-37-4] mp 263-266°	
D-12	(S)-4-methyl-5,5-diphenyl-2-oxazolidinone 98+%, ee 99+%	
	C ₁₆ H ₁₅ NO ₂ [191090-26-6] mp 236-266°	
O-37	(R)-4-Methylpentan-2-ol 97+%, ee 99+%	
	C ₆ H ₁₄ O [16404-54-9] Bp 132°	
O-38	(S)- 4-Methylpentan-2-ol 97+%, ee 99+%	
	C ₆ H ₁₄ O [14898-80-7] Bp 132°	
O-144	(R)-1-(4-Nitrophenyl) ethylamine 96+%, ee 98+%	
	C ₈ H ₁₀ N ₂ O ₂ [57233-86-0]	
O-152	(S)-1-(4-Nitrophenyl) ethylamine 96+%, ee 98+%	
	C ₈ H ₁₀ N ₂ O ₂ [132873-57-5]	

O-11	(R)-2-Nonanol 97+%, ee 99+%	
	C ₉ H ₂₀ O [70419-07-7] bp 193°	
O-12	(S)-2-Nonanol 97+%, ee 99+%	
	C ₉ H ₂₀ O [70419-06-6] bp 193°	
O-09	(R)-2-Octanol 97+%, ee 99+%	
	C ₈ H ₁₈ O [5978-70-1] bp 175°	
O-10	(S)-2-Octanol 97+%, ee 99+%	
	C ₈ H ₁₈ O [6169-06-8] bp 175°	
O-03	(R)-2-Pentanol 97+%, ee 99+%	
	C ₅ H ₁₂ O [31087-44-2] bp 119-120° Fp 33°	
O-04	(S)-2-Pentanol 97+%, ee 99+%	
	C ₅ H ₁₂ O [26184-62-3] bp 118-119° Fp 33°	
O-41	(R)-4-Phenylbutan-2-ol 97+%, ee 99+%	
	C ₁₀ H ₁₄ O [39516-03-5] bp 114-116°/14mm	
O-42	(S)-4-Phenylbutan-2-ol 97+%, ee 99+%	
	C ₁₀ H ₁₄ O [22148-86-3] bp 114-116°/14mm	
O-15	(R)-1-Phenyl-2-propanol 97+%, ee 99+%	
	C ₉ H ₁₂ O [1572-95-8] bp 219-221° Fp 85°	
O-16	(S)-1-Phenyl-2-propanol 97+%, ee 99+%	
	C ₉ H ₁₂ O [1517-68-6] bp 219-221° Fp 85°	
O-142	(R)-Styrene oxide 95+%, ee 97+%	
	C ₈ H ₈ O [20780-53-4]	
O-143	(S)-Styrene oxide 95+%, ee 97+%	
	C ₈ H ₈ O [20780-54-5]	
O-137	1,2,3,6-Tetrahydro pyridine Hydrochloride 95+%	
	C ₅ H ₁₀ ClN [18513-79-6]	
D-71	(S)-1,2,2-Triphenylethylamine 97+%, ee 99+%	
	C ₂₀ H ₁₉ N [352535-04-7] mp 82-85°	

D-72	<p>(R)-1,2,2-Triphenylethylamine 97+%, ee 99+%</p> <p>C₂₀H₁₉N</p> <p>[42291-10-1] mp 82-85°</p>	
D-69	<p>(R)-4,5,5-Triphenyl-2-oxazolidinone 98+%, ee 99+%</p> <p>C₂₁H₁₇NO₂</p> <p>[156481-74-2] mp 249-252°</p>	
D-70	<p>(S)-4,5,5-Triphenyl-2-oxazolidinone 98+%, ee 99+%</p> <p>C₂₁H₁₇NO₂</p> <p>[62183-23-7] mp 249-252°</p>	

Formula	Onyx No	Page	Name
C ₃ H ₉ NO	O-139	3	(R)-1-Amino-2-propanol
C ₃ H ₉ NO	O-140	3	(S)-1-Amino-2-propanol
C ₄ H ₁₀ O	O-01	4	(R)-2-Butanol
C ₄ H ₁₀ O	O-02	4	(S)-2-Butanol
C ₄ H ₁₀ O ₂	O-75	8	(R)-1-Methoxy-2-propanol
C ₄ H ₁₀ O ₂	O-76	8	(S)-1-Methoxy-2-propanol
C ₅ H ₇ NO ₄	O-147	5	(R)-4-Carbomethoxy oxazolidin-2-one
C ₅ H ₇ NO ₄	O-148	5	(S)-4-Carbomethoxy oxazolidin-2-one
C ₅ H ₉ ClO	O-100	5	(R)-1-Chloropent-4-en-2-ol
C ₅ H ₉ ClO	O-101	5	(S)-1-Chloropent-4-en-2-ol
C ₅ H ₁₀ O	O-33	7	(R)-2-Hydroxypent-4-ene
C ₅ H ₁₀ O	O-34	7	(S)-2-Hydroxypent-4-ene
C ₅ H ₁₀ CIN	O-137	9	1,2,3,6-Tetrahydro pyrididne Hydrochloride
C ₅ H ₁₂ O	O-03	9	(R)-2-Pentanol
C ₅ H ₁₂ O	O-04	9	(S)-2-Pentanol
C ₆ H ₁₂ O	O-35	7	(R)-2-Hydroxyhex-5-ene
C ₆ H ₁₂ O	O-36	7	(S)-2-Hydroxyhex-5-ene
C ₆ H ₁₄ O	O-05	6	(R)-2-Hexanol
C ₆ H ₁₄ O	O-06	7	(S)-2-Hexanol
C ₆ H ₁₄ O	O-37	8	(R)-4-Methylpentan-2-ol
C ₆ H ₁₄ O	O-38	8	(S)- 4-Methylpentan-2-ol
C ₇ H ₁₀ O	O-141	8	1-Methoxy-1,4-cyclohexadiene
C ₇ H ₁₅ N	O-135	8	N-Methyl-1-amino-hex-5-ene
C ₇ H ₁₆ O ₂	O-116	5	(R)-1-tert-Butoxy-2-propanol
C ₇ H ₁₆ O ₂	O-117	5	(S)-1-tert-Butoxy-2-propanol
C ₇ H ₁₆ O	O-07	6	(R)-2-Heptanol
C ₇ H ₁₆ O	O-08	6	(S)-2-Heptanol
C ₈ H ₈ O	O-142	9	(R)-Styrene oxide
C ₈ H ₈ O	O-143	9	(S)-Styrene oxide
C ₈ H ₉ Br O	O-133	4	(R)-2-Bromo-1-phenylethanol
C ₈ H ₉ Br O	O-134	4	(S)-2-Bromo-1-phenyl ethanol
C ₈ H ₁₀ N ₂ O ₂	O-144	8	(R)-1-(4-Nitrophenyl) ethylamine
C ₈ H ₁₀ N ₂ O ₂	O-152	8	(S)-1-(4-Nitrophenyl) ethylamine
C ₈ H ₁₂ D ₆ F ₃ NO ₂ Si	O-136	6	Hexa deutero-4,4-dimethyl-4-silapentane-1-ammonium trifluoroacetate
C ₈ H ₁₈ O	O-09	9	(R)-2-Octanol
C ₈ H ₁₈ O	O-10	9	(S)-2-Octanol
C ₉ H ₁₁ ClO	O-102	6	(R)-1-Chloro-3-phenylpropan-2-ol
C ₉ H ₁₁ ClO	O-103	6	(S)-1-Chloro-3-phenylpropan-2-ol
C ₉ H ₁₂ O	O-15	9	(R)-1-Phenyl-2-propanol

Formula	Onyx No	Page	Name
C ₉ H ₁₂ O	O-16	9	(S)-1-Phenyl-2-propanol
C ₉ H ₂₀ O	O-11	9	(R)-2-Nonanol
C ₉ H ₂₀ O	O-12	9	(S)-2-Nonanol
C ₁₀ H ₁₄ O ₂	O-86	4	(R) 1-Benzyloxypropan-2-ol
C ₁₀ H ₁₄ O ₂	O-87	4	(S) 1-Benzyloxypropan-2-ol
C ₁₀ H ₁₄ O	O-41	9	(R)-4-Phenylbutan-2-ol
C ₁₀ H ₁₄ O	O-42	9	(S)-4-Phenylbutan-2-ol
C ₁₀ H ₁₇ NO ₂	O-129	4	N-BOC-1,2,3,6-tetrahydropyridine
C ₁₀ H ₂₂ O	O-13	6	(R)-2-Decanol
C ₁₀ H ₂₂ O	O-14	3	(S)-2-Decanol
C ₁₂ H ₁₅ N	O-151	4	N-benzyl-1,2,3,6- tetrahydro pyridine
C ₁₃ H ₁₅ NO ₂	O-130	5	N-Cbz-1,2,3,6-tetrahydropyridine
C ₁₅ H ₁₇ NO	D-13	2	(R)-2-Amino-1,1-diphenylpropane
C ₁₅ H ₁₇ N	D-14	2	(S)-2-amino-1,1-Diphenylpropane
C ₁₅ H ₁₇ NO	D-09	2	(R)-2-Amino-1,1-diphenyl-1-propanol
C ₁₅ H ₁₇ NO	D-10	2	(S)-2-Amino-1,1-diphenyl-1-propanol
C ₁₆ H ₁₅ NO ₂	D-11	8	(R)-4-methyl-5,5-diphenyl-2-oxazolidinone
C ₁₆ H ₁₅ NO ₂	D-12	8	(S)-4-methyl-5,5-diphenyl-2-oxazolidinone
C ₁₇ H ₁₉ N	O-145	6	(R)-(+)-2-(Diphenylmethyl)pyrrolidine HCl
C ₁₇ H ₁₉ N	D-03	6	(R)-2-(Diphenylmethyl) pyrrolidine
C ₁₇ H ₁₉ N	D-04	6	(S)-2-(Diphenylmethyl)pyrrolidine
C ₁₇ H ₁₉ NO	D-01	6	(R)- α,α -Diphenyl-2-pyrrolidinemethanol
C ₁₇ H ₁₉ NO	D-02	6	(S)- α,α -Diphenyl-2-pyrrolidinemethanol
C ₁₇ H ₂₁ N	D-21	2	(R)-2-Amino-3-methyl-1,1-diphenylbutane
C ₁₇ H ₂₁ N	D-22	2	(S)-2-Amino-3-methyl-1,1-diphenylbutane
C ₁₇ H ₂₁ NO	D-17	2	(R)-2-Amino-3-methyl-1,1-diphenyl-1-butanol
C ₁₇ H ₂₁ NO	D-18	2	(S)-2-Amino-3-methyl-1,1-diphenyl-1-butanol
C ₁₈ H ₁₂ N	D-73	2	(R)-2-Amino-3,3-dimethyl-1,1-diphenylbutane
C ₁₈ H ₁₉ NOS	O-131	7	(R)-4-isopropyl-5,5-diphenyloxazolidine-2-thione
C ₁₈ H ₁₉ NOS	O-132	7	(S)-4-isopropyl-5,5-diphenyloxazolidine-2-thione
C ₁₈ H ₁₉ NO ₂	D-19	7	(R)-4-Isopropyl-5,5-diphenyl-2-oxazolidinone
C ₁₈ H ₁₉ NO ₂	D-20	7	(S)-4-Isopropyl-5,5-diphenyl-2-oxazolidinone
C ₁₈ H ₂₁ N	O-43	8	(R)-N-Methyl- α,α -diphenyl-2-pyrrolidine methanol
C ₁₈ H ₂₁ N	O-44	8	(S)-N-Methyl- α,α -diphenyl-2-pyrrolidine methanol
C ₁₈ H ₂₃ N	D-74	2	(S)-2-Amino-3,3-dimethyl-1,1-diphenyl-1-butanol
C ₁₈ H ₂₃ N	D-37	2	(R)-2-Amino-4-methyl-1,1-diphenylpentane
C ₁₈ H ₂₃ N	D-38	3	(S)-2-Amino-4-methyl-1,1-diphenylpentane
C ₁₈ H ₂₃ NO	D-33	3	(R)-2-Amino-4-methyl-1,1-diphenylpentan-1-ol
C ₁₈ H ₂₃ NO	D-34	3	(S)-2-Amino-4-methyl-1,1-diphenylpentan-1-ol
C ₁₉ H ₂₁ NO ₂	D-75	5	(S)-4-(tert-butyl)-5,5-diphenyl-2-oxazolidinone

Formula	Onyx No	Page	Name
C ₁₉ H ₂₁ NO ₃	D-07	5	(R)-N-Carbomethoxy- α,α -diphenyl-2-pyrrolidine methanol
C ₁₉ H ₂₁ NO ₃	D-08	5	(S)-(-)-N-Carbomethoxy- α,α -diphenyl-2-pyrrolidine methanol
C ₁₉ H ₂₁ NO ₂	D-35	7	(R)-4-isobutyl-5,5-diphenyl-2-oxazolidinone
C ₁₉ H ₂₁ NO ₂	D-36	7	(S)-4-isobutyl-5,5-diphenyl-2-oxazolidinone
C ₁₉ H ₂₈ O	O-50	3	5 α -Androst-16-en-3-one
C ₁₉ H ₃₀ O	O-59	3	5 α -Androst-16-en-3 α -ol
C ₁₉ H ₃₀ O	O-60	3	5 α -Androst-16-en-3 β -ol
C ₂₀ H ₁₉ NO	D-67	3	(R)-2-Amino-1,1,2-triphenylethanol
C ₂₀ H ₁₉ NO	D-68	3	(S)-2-Amino-1,1,2-triphenylethanol
C ₂₀ H ₁₉ N	D-71	9	(S)-1,2,2-Triphenylethylamine
C ₂₀ H ₁₉ N	D-72	10	(R)-1,2,2-Triphenylethylamine
C ₂₀ H ₂₁ NO ₂ S	O-79	2	(R)-3-Acetyl-4-isopropyl-5,5-diphenyloxazolidine-2-thione
C ₂₀ H ₂₁ NO ₂ S	O-80	2	(S)-3-Acetyl-4-isopropyl-5,5-diphenyloxazolidine-2-thione
C ₂₁ H ₁₇ NO ₂	D-69	10	(R)-4,5,5-Triphenyl-2-oxazolidinone
C ₂₁ H ₁₇ NO ₂	D-70	10	(S)-4,5,5-Triphenyl-2-oxazolidinone
C ₂₁ H ₂₁ NO	D-25	3	(R)-2-Amino-1,1,3-triphenyl-1-propanol
C ₂₁ H ₂₁ NO	D-26	3	(S)-2-Amino-1,1,3-triphenyl-1-propanol
C ₂₁ H ₂₁ N	D-29	4	(R)-1-Benzyl-2,2-diphenylethylamine
C ₂₁ H ₂₁ N	D-30	4	(S)-1-Benzyl-2,2-diphenylethylamine
C ₂₂ H ₁₉ NO ₂	D-27	4	(R)-4-benzyl-5,5-diphenyl-2-oxazolidinone
C ₂₂ H ₁₉ NO ₂	D-28	4	(S)-4-benzyl-5,5-diphenyl-2-oxazolidinone
C ₂₂ H ₂₁ NO ₃	D-65	6	(S)-N-Carbomethoxy-2-amino-1,1,2-triphenylethanol
C ₂₂ H ₂₁ NO ₃	D-66	6	(R)-N-Carbomethoxy-2-amino-1,1,2-triphenylethanol

CONTACT US

Onyx Scientific Ltd
Silverbriar
Sunderland Enterprise Park East
Sunderland
Tyne & Wear
UK
SR5 2TQ

Email: enquiries@onyx-scientific.com

Telephone: + 44 (0) 191 516 6 516

Fax: + 44 (0) 191 516 6 526

Web: www.onyx-scientific.com

Commercial Contacts:

Tony Flinn – CEO & Own Products Manager

Telephone: +44 (0)191 516 6519

Email: tonyflinn@onyx-scientific.com

Denise Bowser – Commercial Director

Telephone: +44 (0)191 516 6518

Email: denisebowser@onyx-scientific.com

Craig Loftus – Director of New Business Development

Telephone: +44 (0)191 516 6523

Email: craigloftus@onyx-scientific.com